

**WEEKLY STATUS OF MATERIAL AS ON 22.12.2018**  
**IN RESPECT OF ELECTRIC CENTRAL STORES DIVISION JAMMU.**

| S.No.     | Description of material                        | Unit  | Opening balance as on 15.12.2018 | Receipt during the week | Issue during the week | Closing Bal. as on 22.12.2018 | Remarks |
|-----------|--|-------|----------------------------------|-------------------------|-----------------------|-------------------------------|---------|
| 1         | 2  | 3     | 4                                | 5                       | 6                     | 7                             | 8       |
| <b>1</b>  | <b>Conductor ACSR</b>                          |       |                                  |                         |                       |                               |         |
|           | Squirrel (20mm <sup>2</sup> )                  | Km.   | 59.321                           | 0.000                   | 0.000                 | 59.321                        |         |
|           | Weasel (30 mm <sup>2</sup> )                   | Km.   | 1101.211                         | 1181.962                | 1801.756              | 481.417                       |         |
|           | Rabbit (50 mm <sup>2</sup> )                   | Km.   | 568.764                          | 8.513                   | 0.000                 | 577.277                       |         |
|           | Dog (100 mm <sup>2</sup> )                     | Km.   | 180.169                          | 0.000                   | 0.000                 | 180.169                       |         |
|           | Wolf (150 mm <sup>2</sup> )                    | Km.   | 184.938                          | 0.000                   | 0.000                 | 184.938                       |         |
|           | Panther (200mm <sup>2</sup> )                  | Km.   | 85.333                           | 0.000                   | 0.000                 | 85.333                        |         |
|           | Zebra (400mm <sup>2</sup> )                    | Km.   | 0.000                            | 0.000                   | 0.000                 | 0.000                         |         |
| <b>2</b>  | <b>PCC Poles</b>                               |       |                                  | 0.000                   | 0.000                 |                               |         |
|           | PCC Poles 7.5 mt                               | No.   | 0                                | 0.000                   | 0.000                 | 0                             |         |
|           | PCC Poles 8.0 mt                               | No.   | 0                                | 0.000                   | 0.000                 | 0                             |         |
|           | PCC Poles 9.0 mt                               | No.   | 522                              | 0.000                   | 0.000                 | 522                           |         |
|           | PCC Poles 11 mt                                | No.   | 7                                | 0.000                   | 0.000                 | 7                             |         |
| <b>3</b>  | <b>Steel Tubular Poles</b>                     |       |                                  | 0.000                   | 0.000                 |                               |         |
|           | ST Poles 8 mt                                  | No.   | 35                               | 500.000                 | 0.000                 | 535                           |         |
|           | ST Poles 9 mt                                  | No.   | 6                                | 0.000                   | 0.000                 | 6                             |         |
|           | ST Poles 11 mt                                 | No.   | 200                              | 0.000                   | 0.000                 | 200                           |         |
|           | ST Poles 13 mt                                 | No.   | 1                                | 0.000                   | 0.000                 | 1                             |         |
| <b>4</b>  | <b>Transformer Oil</b>                         | K.LTR | 178.074                          | 0.000                   | 0.000                 | 178.074                       |         |
| <b>5</b>  | <b>Oil Filtration Plant 5000 LPH</b>           | No.   | 3                                | 0.000                   | 0.000                 | 3.00                          |         |
| <b>6</b>  | <b>Horn Gap Fuse Set</b>                       | Set   | 0                                | 0.000                   | 0.000                 | 0.00                          |         |
| <b>7</b>  | <b>LT Air Circuit Breakers ( ACB )</b>         |       |                                  | 0.000                   | 0.000                 |                               |         |
|           | 800 Amps 4 poles ( L&T make)                   | No.   | 50                               | 0.000                   | 0.000                 | 50.00                         |         |
|           | 630 Amps -do- ( crompton)                      | No.   | 3                                | 0.000                   | 0.000                 | 3.00                          |         |
|           | 400 Amps -do- -do-                             | No.   | 69                               | 0.000                   | 0.000                 | 69.00                         |         |
| <b>8</b>  | <b>LT I/C SWITCH (WITH HRC FUSE)</b>           |       | 0                                | 0.000                   | 0.000                 | 0.00                          |         |
|           | 100 Amps                                       | No.   | 124                              | 0.000                   | 0.000                 | 124.00                        |         |
|           | 200 Amps                                       | No.   | 134                              | 0.000                   | 0.000                 | 134.00                        |         |
|           | 400 Amps                                       | No.   | 110                              | 0.000                   | 0.000                 | 110.00                        |         |
| <b>9</b>  | <b>MCCB with Box</b>                           |       | 0                                | 0.000                   | 0.000                 | 0.00                          |         |
|           | 3 phase (3-Pole) 63 Amps MCCBs                 | No.   | 192                              | 0.000                   | 0.000                 | 192.00                        |         |
| <b>10</b> | <b>Thermal Camera</b>                          | Nos   | 1                                | 0.000                   | 0.000                 | 1.00                          |         |
| <b>11</b> | <b>Distribution Transformers (11/0.415 KV)</b> |       | 0.000                            | 0.000                   | 0.000                 | 0.00                          |         |
|           | 25KVA (Energy Efficiency Level-1)              | No.   | 0                                | 0.000                   | 0.000                 | 0                             |         |
|           | 25KVA (Energy Efficiency Level-2)              | No.   | 147                              | 35.000                  | 49.000                | 133                           |         |
|           | 63KVA (Energy Efficiency Level-1)              | No.   | 0                                | 0.000                   | 0.000                 | 0                             |         |
|           | 63KVA (Energy Efficiency Level-2)              | No.   | 33                               | 11.000                  | 10.000                | 34                            |         |
|           | 100KVA (Energy Efficiency Level-1)             | No.   | 0                                | 0.000                   | 0.000                 | 0                             |         |
|           | 100KVA (Energy Efficiency Level-2)             | No.   | 100                              | 12.000                  | 4.000                 | 108                           |         |
|           | 200KVA (Energy Efficiency Level-1)             | No.   | 0                                | 0.000                   | 0.000                 | 0                             |         |
|           | 200KVA (Energy Efficiency Level-2)             | No.   | 14                               | 0.000                   | 0.000                 | 14                            |         |
|           | 250KVA   | No    | 0                                | 0.000                   | 0.000                 | 0                             |         |
|           | 400KVA   | No    | 0                                | 0.000                   | 0.000                 | 0.00                          |         |
| <b>12</b> | <b>Power Transformer (33/11KV)</b>             |       | 0                                | 0.000                   | 0.000                 | 0.00                          |         |
|           | 3.15 MVA with OLTC                             | No.   | 0                                | 0.000                   | 0.000                 | 0.00                          |         |

|           |   |     |       |       |       |       |  |
|-----------|---|-----|-------|-------|-------|-------|--|
|           | 6.3 MVA   | No. | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 10 MVA with OCTC                                  | No. | 0     | 0.000 | 0.000 | 0.00  |  |
|           | M.S Tank for 6.3 Power Transformer                | No  | 1     | 0.000 | 0.000 | 1.00  |  |
| <b>13</b> | <b><u>L T Control panel (1+3)</u></b>             | No  | 1     | 0.000 | 0.000 | 1.00  |  |
| <b>14</b> | <b><u>11 KV VCB Panels</u></b>                    |     | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 11 KV VCB Panels (1+3)                            | Set | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 11 KV VCB Panels (1+4)                            | Set | 8     | 0.000 | 0.000 | 8.00  |  |
|           | 11 KV VCB Panels (1+5)                            | Set | 3     | 0.000 | 0.000 | 3.00  |  |
|           | 11KV VCB Single Incomer Panel                     | Set | 1     | 0.000 | 0.000 | 1.00  |  |
|           | 11KV VCB Single outgoing Panel                    | Set | 10    | 0.000 | 0.000 | 10.00 |  |
|           | 11 KV Line Panel (Single Unit)                    | Set | 0     | 0.000 | 0.000 | 0.00  |  |
| <b>15</b> | <b><u>33 KV C&amp;R Panels</u></b>                |     | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 33 KV C&R Transformer Panel                       | No. | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 33 KV C&R Line Panel                              | No. | 0     | 0.000 | 0.000 | 0.00  |  |
| <b>16</b> | <b><u>33 KV CTs</u></b>                           |     | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 800-400-200/1-1-1A                                | No  | 5     | 0.000 | 0.000 | 5.00  |  |
|           | 800-400-200/1A(NCT)                               | No  | 2     | 0.000 | 0.000 | 2.00  |  |
|           | 600-400-200/5A                                    | No  | 24    | 0.000 | 0.000 | 24.00 |  |
|           | 600-300/5A  | No  | 21    | 0.000 | 0.000 | 21.00 |  |
|           | 400-200-100/5-5-5A                                | No. | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 400-200/5-5-2.89A                                 | No  | 18    | 0.000 | 0.000 | 18.00 |  |
|           | 250-125/5-5-5-A ( VA 15)                          | No. | 3     | 0.000 | 0.000 | 3.00  |  |
|           | 250-125/5-5-2.89A                                 | No  | 36    | 0.000 | 0.000 | 36.00 |  |
|           | 800-400-250/1A ( 10 VA)                           | No. | 1     | 0.000 | 0.000 | 1.00  |  |
|           | 800-250/1A ( 15 VA)                               | No. | 4     | 0.000 | 0.000 | 4.00  |  |
|           | 600-400-200/5-5A (VA-30 )                         | No. | 1     | 0.000 | 0.000 | 1.00  |  |
|           | 600-400-200/1.1A ( 30/15 VA)                      | No. | 1     | 0.000 | 0.000 | 1.00  |  |
|           | 300-150/1-1A ( 10 VA)                             | No. | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 200-100/1-1-1A ( 15 VA)                           | No. | 1     | 0.000 | 0.000 | 1.00  |  |
|           | 200-100/1-1A (10 VA)                              | No. | 2     | 0.000 | 0.000 | 2.00  |  |
|           | 200-100/1A( NCT)                                  | No. | 1     | 0.000 | 0.000 | 1.00  |  |
| <b>17</b> | <b><u>33 KV PTs</u></b>                           |     | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 33 KV PT's 6600 / 110V ( 180 VA)                  | Nos | 2     | 0.000 | 0.000 | 2.00  |  |
|           | 33 KV / / 3 / 110 V / / 3                         | Set | 30    | 0.000 | 0.000 | 30.00 |  |
| <b>18</b> | <b><u>33 KV Isolators</u></b>                     |     | 0     | 0.000 | 0.000 | 0.00  |  |
|           | with E/B  | Set | 0     | 0.000 | 0.000 | 0.00  |  |
|           | without E/B                                       | Set | 0     | 0.000 | 0.000 | 0.00  |  |
| <b>19</b> | <b><u>66 KV CTs</u></b>                           |     | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 66KV CT 400-200-100/ 5-5-5A                       | No. | 24    | 0.000 | 0.000 | 24.00 |  |
|           | 66KV CT 400-200-100/ 1-1-1A                       | No. | 0     | 0.000 | 0.000 | 0.00  |  |
| <b>20</b> | <b><u>66 KV PTs 3/110-V/3</u></b>                 | No  | 18    | 0.000 | 0.000 | 18.00 |  |
| <b>21</b> | <b><u>66 KV C&amp;R Panels</u></b>                |     | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 66 KV C&R Transformer Panel                       | No. | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 66 KV C&R Line Panel                              | No. | 3     | 0.000 | 0.000 | 3.00  |  |
| <b>22</b> | <b><u>2.5 mm2 Control Cable</u></b>               |     | 0     | 0.000 | 0.000 | 0.00  |  |
|           | 2 Core  | Km  | 0.000 | 0.000 | 0.000 | 0.00  |  |
|           | 4 Core  | Km  | 0.000 | 0.000 | 0.000 | 0.00  |  |
|           | 5 core  | Km  | 5.387 | 0.000 | 0.000 | 5.387 |  |
|           | 8 core  | Km  | 0.000 | 0.000 | 0.000 | 0.00  |  |
|           | 10 core   | Km  | 0.050 | 0.000 | 0.000 | 0.05  |  |
|           | 12 Core   | Km  | 0.000 | 0.000 | 0.000 | 0.00  |  |
| <b>23</b> | <b><u>11 KV XLPE 3 core-Single Core Cable</u></b> |     |       | 0.000 | 0.000 |       |  |

|           |  |     |       |       |       |          |  |
|-----------|--|-----|-------|-------|-------|----------|--|
|           | 630 mm <sup>2</sup> XLPE Single core                                       | Mtr | 84    | 0.000 | 0.000 | 84.00    |  |
|           | 400 mm <sup>2</sup> 3- core  | Mtr | 30    | 0.000 | 0.000 | 30.00    |  |
|           | 300 mm <sup>2</sup> 3- core  | Mtr | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 185 mm <sup>2</sup> 3- core  | Mtr | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 95 mm <sup>2</sup> 3- core   | Mtr | 0     | 0.000 | 0.000 | 0.00     |  |
| <b>24</b> | <b><u>L.T. PVC 1.1 KV, Single Core Cable</u></b>                           |     | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 630 mm <sup>2</sup> Single core  | Mtr | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 400mm <sup>2</sup> Single core   | Mtr | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 300 mm <sup>2</sup> Single core  | Mtr | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 240mm <sup>2</sup> Single core   | Mtr | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 185 mm <sup>2</sup> Single core  | Mtr | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 95mm <sup>2</sup> Single core  | Mtr | 0     | 0.000 | 0.000 | 0.00     |  |
| <b>25</b> | <b><u>Twin Core LT PVC Cable</u></b>                                       |     | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 16mm Sq  | Km  | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 10mm Sq  | Km  | 0     | 0.000 | 0.000 | 0.00     |  |
| <b>26</b> | <b><u>AC/DC Distribution Board</u></b>                                     |     | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 30 Volt D C Distribution Board   | No. | 0     | 0.000 | 0.000 | 0.00     |  |
|           | LT AC Distribution Board 415 V-200 A                                       | No. | 0     | 0.000 | 0.000 | 0.00     |  |
| <b>27</b> | <b><u>Compression Joints</u></b>   |     | 0     | 0.000 | 0.000 | 0.00     |  |
|           | Mid span compression joint for panther                                     | No. | 100   | 0.000 | 0.000 | 100.00   |  |
|           | Mid span compression joint Al. Part  | No. | 7     | 0.000 | 0.000 | 7.00     |  |
|           | T-clamps 0.775 to 0.5 Moose - Al. Alloy                                    | No. | 0     | 0.000 | 0.000 | 0.00     |  |
| <b>28</b> | <b><u>Lightning Arrestor (Station type)</u></b>                            |     | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 9 KV /10 KA LA set   | Set | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 30 KV /10 KA LA set  | Set | 0     | 0.000 | 0.000 | 0.00     |  |
| <b>29</b> | <b><u>Insulators.</u></b>  |     | 0     | 0.000 | 0.000 | 0.00     |  |
|           | LT Shackle Insulators  | No. | 0     | 0.000 | 0.000 | 0.00     |  |
|           | L.T.Forged MS Pins for LT Pin Insulators                                   | No. | 26248 | 0.000 | 0.000 | 26248.00 |  |
| <b>30</b> | <b><u>Battery Charging Equipment 110V 100AH</u></b>                        | No  | 0     | 0.000 | 0.000 | 0.00     |  |
| <b>31</b> | <b><u>Spares for MCCB's</u></b>  |     | 0     | 0.000 | 0.000 | 0.00     |  |
|           | Fixed / Moving contact for 630 Amps.                                       | Set | 3     | 0.000 | 0.000 | 3.00     |  |
|           | Arc-chutes for 630 Amps.   | Set | 3     | 0.000 | 0.000 | 3.00     |  |
|           | Fixed / Moving contact for 250 Amps.                                       | Set | 10    | 0.000 | 0.000 | 10.00    |  |
|           | Arc-chutes for 250 Amps.   | Set | 10    | 0.000 | 0.000 | 10.00    |  |
| <b>32</b> | <b><u>Energy Meters Spares LT-CT Ring type for single Phase meter.</u></b> |     | 0     | 0.000 | 0.000 | 0.00     |  |
|           | 400/5A ( 15 VA / 5VA)  | No. | 4427  | 0.000 | 0.000 | 4427.00  |  |
|           | 400/5A/5VA BPL   | No. | 1950  | 0.000 | 0.000 | 1950.00  |  |
|           | 300/5A ( 15 VA/5VA)  | No. | 393   | 0.000 | 0.000 | 393.00   |  |
|           | 200/5A ( 15 VA/5VA)  | No. | 2958  | 0.000 | 0.000 | 2958.00  |  |
|           | 100/5A (15 VA/5 VA)  | No. | 9432  | 0.000 | 0.000 | 9432.00  |  |
|           | Rotor disc   | No. | 88    | 0.000 | 0.000 | 88.00    |  |
|           | Potential coil   | No. | 350   | 0.000 | 0.000 | 350.00   |  |
|           | Terminal blocks  | No. | 862   | 0.000 | 0.000 | 862.00   |  |
|           | Counter gear   | No. | 355   | 0.000 | 0.000 | 355.00   |  |
|           | current coil   | No. | 896   | 0.000 | 0.000 | 896.00   |  |
|           | 3-Phase CT-Operated 5 Amps (Secondary) Electro mechanical ( Capital make)  | No. | 1437  | 0.000 | 0.000 | 1437.00  |  |
|           | <b>(10-60) AMP Energy Meter with Box</b>                                   | No  | 0     | 0.000 | 0.000 | 0.00     |  |

|           |   |     |      |       |       |         |  |
|-----------|---|-----|------|-------|-------|---------|--|
|           | MRI (old version)   | No  | 18   | 0.000 | 0.000 | 18.00   |  |
|           | MRI (new version)   | NO  | 38   | 0.000 | 0.000 | 38.00   |  |
| <b>33</b> | <b><u>Spares for southern switch gears</u></b>                          |     | 0    | 0.000 | 0.000 | 0.00    |  |
|           | Arching chamber with bushing 800/400 Amps                               | No. | 80   | 0.000 | 0.000 | 80.00   |  |
|           | Busing 800/400 amps   | No. | 82   | 0.000 | 0.000 | 82.00   |  |
| <b>34</b> | <b><u>Spares for Transformer oil filter plant 2400 LPH Capacity</u></b> | No. | 1    | 0.000 | 0.000 | 1.00    |  |
|           | P.V.C Pipes   | No. | 2    | 0.000 | 0.000 | 2.00    |  |
|           | Heater Coils  | No  | 2    | 0.000 | 0.000 | 2.00    |  |
|           | Filter Plant Gear   | Set | 1    | 0.000 | 0.000 | 1.00    |  |
|           | Manometer   | No  | 2    | 0.000 | 0.000 | 2.00    |  |
|           | Thermameter   | No  | 2    | 0.000 | 0.000 | 2.00    |  |
| <b>35</b> | <b><u>Fittings/ Clamps/ Insulators &amp; Misc Items</u></b>             |     | 0    | 0.000 | 0.000 | 0.00    |  |
|           | 4 bolts type 33 kv single tension fitting for dog.                      | No. | 14   | 0.000 | 0.000 | 14.00   |  |
|           | Tension fitting for dog( T&C Type) 45 KN                                | No. | 25   | 0.000 | 0.000 | 25.00   |  |
|           | Suspension fitting for ACSR wolf B&S Type                               | No. | 100  | 0.000 | 0.000 | 100.00  |  |
|           | Single suspension fitting for zebra( T &C)                              | No. | 65   | 0.000 | 0.000 | 65.00   |  |
|           | Single suspension fitting suitable for AAAC Panther ( T&C)              | No. | 301  | 0.000 | 0.000 | 301.00  |  |
|           | Double suspension fitting for zebra ACSR (T&C)                          | No. | 220  | 0.000 | 0.000 | 220.00  |  |
|           | Double tension fitting for zebra  | No. | 106  | 0.000 | 0.000 | 106.00  |  |
|           | ( Arching horns suitable for ACSR Panther                               | No. | 60   | 0.000 | 0.000 | 60.00   |  |
|           | Stock bridge vibration damper for zebra conductor.                      | No. | 941  | 0.000 | 0.000 | 941.00  |  |
|           | Vibration damper for tiger conductor.                                   | No. | 49   | 0.000 | 0.000 | 49.00   |  |
|           | Single tension fittings for twin Moose.                                 | No. | 0    | 0.000 | 0.000 | 0.00    |  |
|           | Single suspension fittings for twin Moose.                              | No. | 0    | 0.000 | 0.000 | 0.00    |  |
|           | PG Clamps for single Moose.   | No. | 0    | 0.000 | 0.000 | 0.00    |  |
|           | P I Clamps for Zebra  | No. | 1    | 0.000 | 0.000 | 1.00    |  |
|           | Single Tension fittings for AAAC 37/3.15mm                              | No. | 158  | 0.000 | 0.000 | 158.00  |  |
|           | Repair sleeves for AAAC 37/3.15   | No. | 100  | 0.000 | 0.000 | 100.00  |  |
|           | Mid span joint for AAAC 37/3.15mm                                       | No. | 25   | 0.000 | 0.000 | 25.00   |  |
|           | Repair sleeves suitable for Zebra                                       | No. | 25   | 0.000 | 0.000 | 25.00   |  |
|           | T clamps for Moose to Moose.  | No. | 30   | 0.000 | 0.000 | 30.00   |  |
|           | T clamps for twin Moose to twin Moose                                   | No. | 37   | 0.000 | 0.000 | 37.00   |  |
|           | T-Clamp Twin Zebra to Twin Zebra  | No. | 8    | 0.000 | 0.000 | 8.00    |  |
|           | PT clamps for Zebra   | No. | 12   | 0.000 | 0.000 | 12.00   |  |
|           | Single tension fitting for panther with arcking horn                    | No. | 131  | 0.000 | 0.000 | 131.00  |  |
|           | P.G.Clamps for Rabbit conductor   | No. | 3527 | 0.000 | 0.000 | 3527.00 |  |
|           | C T Clamps for Single Moose   | No. | 2    | 0.000 | 0.000 | 2.00    |  |
|           | Isolator Clamps for Single Moose  | No. | 106  | 0.000 | 0.000 | 106.00  |  |
|           | Spacer for Twin Moose   | No. | 12   | 0.000 | 0.000 | 12.00   |  |
|           | Vibration damper for Panther Conductor                                  | No. | 1755 | 0.000 | 0.000 | 1755.00 |  |
|           | Vibration damper for Earthwire  | No. | 402  | 0.000 | 0.000 | 402.00  |  |
|           | 30 mm LT(Bush Rod)  | No  | 510  | 0.000 | 0.000 | 510.00  |  |
|           | 33 KV Guy Insulators  | No. | 0    | 0.000 | 0.000 | 0.00    |  |
|           | 11 KV G.I.Pins  | No. | 0    | 0.000 | 0.000 | 0.00    |  |
|           | 33KV Pin Insulator  | No. | 0    | 0.000 | 0.000 | 0.00    |  |

|           |   |      |         |       |       |         |  |
|-----------|---|------|---------|-------|-------|---------|--|
|           | 33KV Pin Insulator  | No.  | 0       | 0.000 | 0.000 | 0.00    |  |
|           | 33 KV Post Insulator  | No.  | 0       | 0.000 | 0.000 | 0.00    |  |
|           | 33 KV G.I. Pins   | No.  | 0       | 0.000 | 0.000 | 0.00    |  |
|           | Single Tension fitting for Single Zeber Cond  | No   | 48      | 0.000 | 0.000 | 48.00   |  |
|           | T.Clamp 0.5/.05 Cond  | No   | 60      | 0.000 | 0.000 | 60.00   |  |
| <b>36</b> | <b><u>T &amp; P Articles</u></b>  |      | 0       | 0.000 | 0.000 | 0.00    |  |
|           | Prismatic compass   | No.  | 5       | 0.000 | 0.000 | 5.00    |  |
|           | Rubber boots  | Pair | 1       | 0.000 | 0.000 | 1.00    |  |
|           | Crimping tools  | No.  | 0       | 0.000 | 0.000 | 0.00    |  |
| <b>37</b> | <b><u>Nuts and Bolts.</u></b>   |      | 0       | 0.000 | 0.000 | 0.00    |  |
|           | 18X250 mm   | MT   | 0.550   | 0.000 | 0.000 | 0.55    |  |
|           | 16x300 mm   | MT   | 0.000   | 0.000 | 0.000 | 0.00    |  |
|           | 16x250 mm   | MT   | 9.750   | 0.000 | 0.000 | 9.75    |  |
|           | 16x400 mm   | MT   | 1.600   | 0.000 | 0.000 | 1.60    |  |
|           | 12x50 mm  | MT   | 0.450   | 0.000 | 0.000 | 0.45    |  |
|           | 12x40 mm  | MT   | 5.450   | 0.000 | 0.000 | 5.45    |  |
|           | 12x25 mm  | MT   | 0.500   | 0.000 | 0.000 | 0.50    |  |
|           | 10x25 mm  | MT   | 1.300   | 0.000 | 0.000 | 1.30    |  |
| <b>38</b> | <b><u>M S Tor Steel</u></b>   |      | 0.000   | 0.000 | 0.000 | 0.00    |  |
|           | 36mm  | MT   | 30.840  | 0.000 | 0.000 | 30.84   |  |
|           | 32mm / 25/26 mm different sizes   | MT   | 3.890   | 0.000 | 1.000 | 2.89    |  |
|           | 10mm  | MT   | 0.000   | 0.000 | 0.000 | 0.00    |  |
|           | 12mm  | MT   | 3.465   | 0.000 | 0.000 | 3.465   |  |
| <b>39</b> | G.P.Sheet   | MT   | 1.000   | 0.000 | 0.000 | 1.00    |  |
| <b>40</b> | G.I Wire 8SWG   | MT   | 0.000   | 0.000 | 0.000 | 0.00    |  |
| <b>41</b> | Guy Wire  | MT   | 0.000   | 0.000 | 0.000 | 0.00    |  |
| <b>42</b> | Earth wire  | Kms. | 33.300  | 0.000 | 0.000 | 33.30   |  |
| <b>43</b> | <b><u>66KV Isolator</u></b>   |      | 0       | 0.000 | 0.000 | 0.00    |  |
|           | With Earthing Blade   | Set  | 0       | 0.000 | 0.000 | 0.00    |  |
|           | Without Earthing Blade  | Set  | 0       | 0.000 | 0.000 | 0.00    |  |
| <b>44</b> | Bidirectional DLMS TVEM   | Nos  | 0       | 0.000 | 0.000 | 0.00    |  |
| <b>45</b> | 16 Sqmm 1.1 Grade Standard Aluminium Conductor XLPE Conductor Twin Core un-Armoured Cable | KM   | 923.542 | 0.000 | 0.000 | 923.542 |  |
| <b>46</b> | 16 Sqmm 1.1 Grade Standard Aluminium Conductor XLPE Conductor Twin Core Armoured Cable    | KM   | 438.344 | 0.000 | 0.000 | 438.344 |  |

**No:ECSDJ/TS/3209-31**

**Dated: 24 .12.2018**

Copy of the above forwarded to the :-

- 1- Development Commissioner (Power), nagarJ&K,Jammu/Srinagar
- 2- Chief Engineer, Procurement and Material Management Wing, J&K Jammu/Srinagar.
- 3- Chief Engineer, Maintt.& RE Wing Jammu.
- 4- Chief Engineer, System and Operation Wing Jammu .
- 5- Superintending Engineer, Electric Purchase Circle No.I Jammu .
- 6--23-All Executive Engineer M&RE/STD

Sd  
**Executive Engineer,**  
**Elect Central Store Division**  
**Jammu**