

**WEEKLY STATUS OF MATERIAL AS ON 08-09-2018
IN RESPECT OF ELECTRIC CENTRAL STORES DIVISION JAMMU.**

S.No.	Description of material	Unit	Opening balance as on 01-09.2018	Receipt during the week	Issue during the week	Closing Bal. as on 08-09-2018	Remarks
1	2	3	4	5	6	7	8
1	Conductor ACSR						
	Squirrel (20mm ²)	Km.	0.251	0.000	0.000	0.251	
	Weasel (30 mm ²)	Km.	0.000	0.000	0.000	0.000	
	Rabbit (50 mm ²)	Km.	462.293	0.000	0.000	462.293	
	Dog (100 mm ²)	Km.	119.042	0.000	0.000	119.042	
	Wolf (150 mm ²)	Km.	187.864	0.000	0.000	187.864	
	Panther (200mm ²)	Km.	85.333	0.000	0.00	85.333	
	Zebra (400mm ²)	Km.	0.000	0.000	0.000	0.000	
2	PCC Poles		0.000			0.000	
	PCC Poles 7.5 mt	No.	0	0	0	0	
	PCC Poles 8.0 mt	No.	2	0	0	2	
	PCC Poles 9.0 mt	No.	708	0	52	656	
	PCC Poles 11 mt	No.	7	0	0	7	
3	Steel Tubular Poles		0.000			0	
	ST Poles 8 mt	No.	1355	0	647	708	
	ST Poles 9 mt	No.	26	0	9	17	
	ST Poles 11 mt	No.	67	500	9	558	
	ST Poles 13 mt	No.	1	0	0	1	
4	Transformer Oil	K.LTR	0.000	0.000	0.000	0.000	
5	Oil Filtration Plant 5000 LPH	No.	3	0	0	3.00	
6	Horn Gap Fuse Set	Set	0	0	0	0.00	
7	LT Air Circuit Breakers (ACB)						
	800 Amps 4 poles (L&T make)	No.	50	0	0	50.00	
	630 Amps -do- (crompton)	No.	3	0	0	3.00	
	400 Amps -do- -do-	No.	69	0	0	69.00	
8	LT I/C SWITCH (WITH HRC FUSE)		0			0.00	
	100 Amps	No.	124	0	0	124.00	
	200 Amps	No.	134	0	0	134.00	
	400 Amps	No.	110	0	0	110.00	
9	MCCB with Box		0			0.00	
	3 phase (3-Pole) 63 Amps MCCBs	No.	192	0	0	192.00	
10	Thermal Camera	Nos	1	0	0	1.00	
11	Distribution Transformers (11/0.415 KV)		0.000			0.00	
	25KVA (Energy Efficiency Level-1)	No.	0	0	0	0.00	
	25KVA (Energy Efficiency Level-2)	No.	0	0	0	0.00	
	63KVA (Energy Efficiency Level-1)	No.	0	0	0	0.00	
	63KVA (Energy Efficiency Level-2)	No.	1	0	1	0	
	100KVA (Energy Efficiency Level-1)	No.	0	0	0	0.00	
	100KVA (Energy Efficiency Level-2)	No.	87	0	3	84.00	

	200KVA (Energy Efficiency Level-1)	No.	0	0	0	0.00	
	200KVA (Energy Efficiency Level-2)	No.	1	0	0	1.00	
	250KVA	No	0	0	0	0.00	
	400KVA	No	0	0	0	0.00	
12	Power Transformer (33/11KV)		0			0.00	
	3.15 MVA with OLTC	No.	0	0	0	0.00	
	6.3 MVA	No.	0	0	0	0.00	
	10 MVA with OCTC	No.	0	0	0	0.00	
	M.S Tank for 6.3 Power Transformer	No	1	0	0	1.00	
13	<u>L T Control panel (1+3)</u>	No	1	0	0	1.00	
14	<u>11 KV VCB Panels</u>		0			0.00	
	11 KV VCB Panels (1+3)	Set	0	0	0	0.00	
	11 KV VCB Panels (1+4)	Set	8	0	0	8.00	
	11 KV VCB Panels (1+5)	Set	3	0	0	3.00	
	11KV VCB Single Incomer Panel	Set	4	0	0	4.00	
	11KV VCB Single outgoing Panel	Set	17	0	0	17.00	
	11 KV Line Panel (Single Unit)	Set	0	0	0	0.00	
15	<u>33 KV C&R Panels</u>		0			0.00	
	33 KV C&R Transformer Panel	No.	0	0	0	0.00	
	33 KV C&R Line Panel	No.	0	0	0	0.00	
16	<u>33 KV CTs</u>		0			0.00	
	800-400-200/1-1-1A	No	5	0	0	5.00	
	800-400-200/1A(NCT)	No	2	0	0	2.00	
	600-400-200/5A	No	24	0	0	24.00	
	600-300/5A	No	21	0	0	21.00	
	400-200-100/5-5-5A	No.	0	0	0	0.00	
	400-200/5-5-2.89A	No	21	0	0	21.00	
	250-125/5-5-5-A (VA 15)	No.	3	0	0	3.00	
	250-125/5-5-2.89A	No	36	0	0	36.00	
	800-400-250/1A (10 VA)	No.	1	0	0	1.00	
	800-250/1A (15 VA)	No.	4	0	0	4.00	
	600-400-200/5-5A (VA-30)	No.	1	0	0	1.00	
	600-400-200/1.1A (30/15 VA)	No.	1	0	0	1.00	
	300-150/1-1A (10 VA)	No.	0	0	0	0.00	
	200-100/1-1-1A (15 VA)	No.	1	0	0	1.00	
	200-100/1-1A(10 VA)	No.	2	0	0	2.00	
	200-100/1A(NCT)	No.	1	0	0	1.00	
17	<u>33 KV PTs</u>		0			0.00	
	33 KV PT's 6600 / 110V (180 VA)	Nos	2	0	0	2.00	
	33 KV / / 3 / 110 V / / 3	Set	30	0	0	30.00	
18	<u>33 KV Isolators</u>		0			0.00	
	with E/B	Set	0	0	0	0.00	
	without E/B	Set	0	0	0	0.00	
19	<u>66 KV CTs</u>		0			0.00	
	66KV CT 400-200-100/ 5-5-5A	No.	24	0	0	24.00	
	66KV CT 400-200-100/ 1-1-1A	No.	0	0	0	0.00	
20	<u>66 KV PTs 3/110-V/3</u>	No	18	0	0	18.00	
21	<u>66 KV C&R Panels</u>		0			0.00	
	66 KV C&R Transformer Panel	No.	0	0	0	0.00	

	66 KV C&R Line Panel	No.	3	0	0	3.00	
22	<u>2.5 mm² Control Cable</u>		0			0.00	
	2 Core	Km	0.000	0	0	0.00	
	4 Core	Km	0.000	0	0	0.00	
	5 core	Km	5.887	0	0.000	5.887	
	8 core	Km	0.000	0	0.000	0.00	
	10 core	Km	0.050	0	0.000	0.05	
	12 Core	Km	0.000	0	0	0.00	
23	<u>11 KV XLPE 3 core-Single Core Cable</u>						
	630 mm ² XLPE Single core	Mtr	84	0	0	84.00	
	400 mm ² 3- core	Mtr	30	0	0	30.00	
	300 mm ² 3- core	Mtr	0	0	0	0.00	
	185 mm ² 3- core	Mtr	0	0	0	0.00	
	95 mm ² 3- core	Mtr	0	0	0	0.00	
24	<u>L.T. PVC 1.1 KV, Single Core Cable</u>		0			0.00	
	630 mm ² Single core	Mtr	0	0	0	0.00	
	400mm ² Single core	Mtr	0	0	0	0.00	
	300 mm ² Single core	Mtr	0	0	0	0.00	
	240mm ² Single core	Mtr	0	0	0	0.00	
	185 mm ² Single core	Mtr	0	0	0	0.00	
	95mm ² Single core	Mtr	0	0	0	0.00	
25	<u>Twin Core LT PVC Cable</u>		0			0.00	
	16mm Sq	Km	0	0	0	0.00	
	10mm Sq	Km	0	0	0	0.00	
26	<u>AC/DC Distribution Board</u>		0			0.00	
	30 Volt D C Distribution Board	No.	0	0	0	0.00	
	LT AC Distribution Board 415 V-200 A	No.	0	0	0	0.00	
27	<u>Compression Joints</u>		0			0.00	
	Mid span compression joint for panther	No.	100	0	0	100.00	
	Mid span compression joint Al. Part	No.	7	0	0	7.00	
	T-clamps 0.775 to 0.5 Moose - Al. Alloy	No.	0	0	0	0.00	
28	<u>Lightning Arrestor (Station type)</u>		0			0.00	
	9 KV /10 KA LA set	Set	0	0	0	0.00	
	30 KV /10 KA LA set	Set	0	0	0	0.00	
29	<u>Insulators.</u>		0			0.00	
	LT Shackle Insulators	No.	0	0	0	0.00	
	L.T.Forged MS Pins for LT Pin Insulators	No.	26248	0	0	26248.00	
30	<u>Battery Charging Equipment 110V 100AH</u>	No	0	0	0	0.00	
31	<u>Spares for MCCB's</u>		0			0.00	
	Fixed / Moving contact for 630 Amps.	Set	3	0	0	3.00	
	Arc-chutes for 630 Amps.	Set	3	0	0	3.00	
	Fixed / Moving contact for 250 Amps.	Set	10	0	0	10.00	
	Arc-chutes for 250 Amps.	Set	10	0	0	10.00	

32	<u>Energy Meters Spares LT-CT Ring type for single Phase meter.</u>		0			0.00	
	400/5A (15 VA / 5VA)	No.	4427	0	0	4427.00	
	400/5A/5VA BPL	No.	1950	0	0	1950.00	
	300/5A (15 VA/5VA)	No.	393	0	0	393.00	
	200/5A (15 VA/5VA)	No.	2958	0	0	2958.00	
	100/5A (15 VA/5 VA)	No.	9432	0	0	9432.00	
	Rotor disc	No.	88	0	0	88.00	
	Potential coil	No.	350	0	0	350.00	
	Terminal blocks	No.	862	0	0	862.00	
	Counter gear	No.	355	0	0	355.00	
	current coil	No.	896	0	0	896.00	
	3-Phase CT-Operated 5 Amps (Secondary) Electro mechanical (Capital make)	No.	1437	0	0	1437.00	
	(10-60) AMP Energy Meter with Box	No	20383	0	2882	17501.00	
	MRI (old version)	No	18	0	0	18.00	
	MRI (new version)	NO	87	0	0	87.00	
33	<u>Spares for southern switch gears</u>		0			0.00	
	Arching chamber with bushing 800/400 Amps	No.	80	0	0	80.00	
	Busing 800/400 amps	No.	82	0	0	82.00	
34	<u>Spares for Transformer oil filter plant 2400 LPH Capacity</u>	No.	1	0	0	1.00	
	P.V.C Pipes	No.	2	0	0	2.00	
	Heater Coils	No	2	0	0	2.00	
	Filter Plant Gear	Set	1	0	0	1.00	
	Manometer	No	2	0	0	2.00	
	Thermameter	No	2	0	0	2.00	
35	<u>Fittings/ Clamps/ Insulators & Misc Items</u>		0			0.00	
	4 bolts type 33 kv single tension fitting for dog.	No.	14	0	0	14.00	
	Tension fitting for dog(T&C Type) 45 KN	No.	25	0	0	25.00	
	Suspension fitting for ACSR wolf B&S Type	No.	100	0	0	100.00	
	Single suspension fitting for zebra(T &C)	No.	65	0	0	65.00	
	Single suspension fitting suitable for AAAC Panther (T&C)	No.	301	0	0	301.00	
	Double suspension fitting for zebra ACSR (T&C)	No.	220	0	0	220.00	
	Double tension fitting for zebra	No.	106	0	0	106.00	
	(Arching horns suitable for ACSR Panther	No.	60	0	0	60.00	
	Stock bridge vibration damper for zebra conductor.	No.	941	0	0	941.00	
	Vibration damper for tiger conductor.	No.	49	0	0	49.00	
	Single tension fittings for twin Moose.	No.	0	0	0	0.00	
	Single suspension fittings for twin Moose.	No.	0	0	0	0.00	
	PG Clamps for single Moose.	No.	0	0	0	0.00	
	P I Clamps for Zebra	No.	1	0	0	1.00	

	Single Tension fittings for AAAC 37/3.15mm	No.	158	0	0	158.00	
	Repair sleeves for AAAC 37/3.15	No.	100	0	0	100.00	
	Mid span joint for AAAC 37/3.15mm	No.	25	0	0	25.00	
	Repair sleeves suitable for Zebra	No.	25	0	0	25.00	
	T clamps for Moose to Moose.	No.	30	0	0	30.00	
	T clamps for twin Moose to twin Moose	No.	37	0	0	37.00	
	T-Clamp Twin Zebra to Twin Zebra	No.	8	0	0	8.00	
	PT clamps for Zebra	No.	12	0	0	12.00	
	Single tension fitting for panther with arcking horn	No.	131	0	0	131.00	
	P.G.Clamps for Rabbit conductor	No.	3527	0	0	3527.00	
	C T Clamps for Single Moose	No.	2	0	0	2.00	
	Isolator Clamps for Single Moose	No.	106	0	0	106.00	
	Spacer for Twin Moose	No.	12	0	0	12.00	
	Vibration damper for Panther Conductor	No.	1755	0	0	1755.00	
	Vibration damper for Earthwire	No.	402	0	0	402.00	
	30 mm LT(Bush Rod)	No	510	0	0	510.00	
	33 KV Guy Insulators	No.	0	0	0	0.00	
	11 KV G.I.Pins	No.	0	0	0	0.00	
	33KV Pin Insulator	No.	0	0	0	0.00	
	33KV Pin Insulator	No.	0	0	0	0.00	
	33 KV Post Insulator	No.	0	0	0	0.00	
	33 KV G.I. Pins	No.	0	0	0	0.00	
	Single Tension fitting for Single Zeber Cond	No	48	0	0	48.00	
	T.Clamp 0.5/.05 Cond	No	60	0	0	60.00	
36	<u>T & P Articles</u>		0			0.00	
	Prismatic compass	No.	5	0	0	5.00	
	Rubber boots	Pair	1	0	0	1.00	
	Crimping tools	No.	0	0	0	0.00	
37	<u>Nuts and Bolts.</u>		0			0.00	
	18X250 mm	MT	0.550	0	0	0.55	
	16x300 mm	MT	0.000	0	0	0.00	
	16x250 mm	MT	9.750	0	0	9.75	
	16x400 mm	MT	1.600	0	0	1.60	
	12x50 mm	MT	0.450	0	0	0.45	
	12x40 mm	MT	5.450	0	0	5.45	
	12x25 mm	MT	0.500	0	0	0.50	
	10x25 mm	MT	1.300	0	0	1.30	
38	<u>M S Tor Steel</u>		0.000			0.00	
	36mm	MT	30.840	0	0	30.84	
	32mm / 25/26 mm different sizes	MT	6.390	0	0	6.39	
	10mm	MT	0.000	0	0	0.00	
	12mm	MT	3.465	0	0	3.465	
39	G.P.Sheet	MT	1.000	0	0	1.00	
40	G.I Wire 8SWG	MT	0.000	0	0	0.00	
41	Guy Wire	MT	0.000	0	0	0.00	
42	Earth wire	Kms.	33.300	0	0	33.30	
43	66KV Isolator		0			0.00	
	With Earthing Blade	Set	0	0	0	0.00	

	Without Earthing Blade	Set	0	0	0	0.00	
44	Bidirectional DLMS TVEM	Nos	0	0	0	0.00	
45	16 Sqmm 1.1 Grade Standard Aluminium Conductor XLPE Conductor Twin Core un-Armoured Cable	KM	748.982	0.000	0	748.982	
46	16 Sqmm 1.1 Grade Standard Aluminium Conductor XLPE Conductor Twin Core Armoured Cable	KM	107.783	0.000	0	107.783	

No:ECSDJ/TS/1702-24

Dated: 10 .09.2018

Copy of the above forwarded to the :-

- 1- Development Commissioner (Power),
- 2- Chief Engineer, Procurement and Material Management Wing, J&K Jammu/Srinagar.
- 3- Chief Engineer, Maintt.& RE Wing Jammu.
- 4- Chief Engineer, System and Operation Wing Jammu .
- 5- Superintending Engineer, Electric Purchase Circle No.I
- 6--23-All Executive Engineer M&RE/STD

Sd

**Executive Engineer,
Elect Central Store Division
Jammu**